

12025 NE Marx St. Portland, OR 97220 503-253-3511 / www.greenleaflabs.com License#: 10029074C70

License#: 100290/4C/0

Purple Push Pop Sample ID: G4C0346-08

Matrix: Industrial Hemp

Test ID: 5027141
Source ID:

Date Sampled: 03/22/24

Date Accepted: 03/22/24

Delta Alternatives

469-338-1580

Total THC: 20 % Total CBD: 0.059 % Total CBG: 0.79 %



Much Hunh



12025 NE Marx St. Portland, OR 97220 503-253-3511 / www.greenleaflabs.com License#: 10029074C70

Purple Push Pop

Sample ID: G4C0346-08

Matrix: Industrial Hemp

Test ID: 5027141
Source ID:

Date Sampled: 03/22/24

Date Accepted: 03/22/24

Delta Alternatives

469-338-1580

Potency Analysis

Date/Time Extra	cted: 03/26	/24 10:42		Analysis Method/SOP: 215 Batch Identification: 2413015
Cannabinoids	LOQ (%)	% by Wt.	mg/g	Cannabinoids Profile
Total THC	0.036	20	200	
Total CBD	0.002	0.059	0.59	\[\bigcup_0.1 \\ \bigcup_0.8 \\ \end{array} \]
Total CBG	0.0008	0.79	7.9	0.1 0.8 00002
THCA	0.002	22	220	
delta 9-THC	0.002	0.14	1.4	
delta 8-THC	0.004	< LOQ	< LOQ	
THCV	0.005	< LOQ	< LOQ	
THCVA	0.002	0.15	1.5	
CBD	0.0005	< LOQ	< LOQ	
CBDA	0.0005	0.068	0.68	THCA 22 delta 9-THC 0
CBDV	0.005	< LOQ	< LOQ	CBGA CBDA
CBDVA	0.002	< LOQ	< LOQ	CBG CBC
CBN	0.003	< LOQ	< LOQ	■ THCVA
CBG	0.0008	0.079	0.79	Total: 23
CBGA	0.0008	0.81	8.1	22.3
CBC	0.009	0.018	0.18	

Total THC = delta 9-THC + (THCA * 0.877)

Total CBD = CBD + (CBDA * 0.877)

Total CBG = CBG + (CBGA * 0.878)

 $\label{lowest} \mbox{LOQ=Limit of Quantification, the lowest measurable concentration of an analyte.}$

THCA, delta 9-THC, delta 8-THC, CBDA and CBD are accredited by TNI 2016 and ISO 17025



Much Hunh



12025 NE Marx St. Portland, OR 9/220 503-253-3511 / www.greenleaflabs.com

License#: 10029074C70

Quality Control Potency

Batch: 2413015 - 215-Hemp

Blank(2413015-BLK1)							
Analyte	Result	LOQ	Units	%Recovery Limits	Extracted	Analyzed	Notes
THCA	< LOQ	0.0005	%		03/26/24 10:42	03/26/24 20:34	
delta 9-THC	< LOQ	0.0005	%		03/26/24 10:42	03/26/24 20:34	
delta 8-THC	< LOQ	0.004	%		03/26/24 10:42	03/26/24 20:34	
THCV	< LOQ	0.005	%		03/26/24 10:42	03/26/24 20:34	
THCVA	< LOQ	0.002	%		03/26/24 10:42	03/26/24 20:34	
CBD	< LOQ	0.0005	%		03/26/24 10:42	03/26/24 20:34	
CBDA	< LOQ	0.0005	%		03/26/24 10:42	03/26/24 20:34	
CBDV	< LOQ	0.005	%		03/26/24 10:42	03/26/24 20:34	
CBDVA	< LOQ	0.002	%		03/26/24 10:42	03/26/24 20:34	
CBN	< LOQ	0.003	%		03/26/24 10:42	03/26/24 20:34	
CBG	< LOQ	0.0008	%		03/26/24 10:42	03/26/24 20:34	
CBGA	< LOQ	0.0008	%		03/26/24 10:42	03/26/24 20:34	
CBC	< LOQ	0.009	%		03/26/24 10:42	03/26/24 20:34	

Reference(2413015-SRM1)							
Analyte	% Recovery	LOQ	Units	%Recovery Limits	Extracted	Analyzed	Notes
THCA	103	0.0005	%	90-110	03/26/24 10:42	03/26/24 20:57	
delta 9-THC	90.5	0.0005	%	90-110	03/26/24 10:42	03/26/24 20:57	
delta 8-THC	92.4	0.004	%	90-110	03/26/24 10:42	03/26/24 20:57	
CBD	100	0.0005	%	90-110	03/26/24 10:42	03/26/24 20:57	
CBDA	108	0.0005	%	90-110	03/26/24 10:42	03/26/24 20:57	



Much Hunk



12025 NE Marx St. Portland, OR 9/220 503-253-3511 / www.greenleaflabs.com

License#: 10029074C70

manually for all samples.

Notes and Definitions

Regulatory Compliance samples were collected onsite at facility according to SOP-402 and SOP-403 and following Sampling Plan FN117. Quality Control samples were tested as received.

Results do not include uncertainty of measurements. Available upon request.

ATM	Non-cannabis matrix related interference or suppression of Internal standard
BLI	Baseline Interference - Cannabinoid peak interference in chromatographic baseline affecting QC recovery .
BLK	Analyte detected in method blank, but not associated samples.
BSH	Blank Spike High - Blank Spike recovery above method limit. no detections in samples.
BSL	Blank Spike Low - Blank Spike recovery below lower method limit, analyte chromatography reviewed
С	manually for all samples.
CBD	Interference due to co-elution
CV1	CBD matrix interference on GC Pest chromatography
CV2	CCV was above acceptance criteria, Non-detect samples are considered acceptable.
INF	CCV was below acceptance criteria, sample still exceeds regulatory limit.
ISH	One or more QC falls outside acceptance criteria. Data entered into LIMS for informational purposes only.
ISL	Internal Standard concentration is above acceptance criteria.
MSH	Internal Standard concentration is below acceptance criteria.
MSI	Matrix Spike High - Matrix Spike recovery above method limits.
MSL	Matrix Spike Interference - Matrix spike source sample contains analyte hit above calibration affecting
TPP	recovery accuracy in Matrix Spike.
U	Matrix Spike Low - Matrix Spike recovery below lower method limit, analyte chromatography reviewed

Internal Standard concentration outside control limit due to matrix interference

